C Number:	C97011H
Lock Date:	03/30/1999
Cage Range:	All
Date Range:	All
Reasons For Removal:	All
Removal Date Range:	All
Treatment Groups:	All
Study Gender:	Both
PWG Approval Date	NONE

Male MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 30 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 60 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 120 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Male MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 180 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 240 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Male MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE	TIME (DAYS)									
	2	4	6	8	10	12	14	16(A)	18	16(A)
0 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
30 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
60 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
120 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
180 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
240 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Male MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	**0 UG/KG**	**30 UG/KG**	**60 UG/KG**	**120 UG/KG**
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%
(KAPLAN-MEIER)				
SIGNIFICANCE (B)	-----	-----	-----	-----
(LIFE TABLE)				
MEAN DAY OF NATURAL DEATHS (C)	.	.	.	.
(STANDARD ERROR)	(.)	(.)	(.)	(.)
MEAN LIFE SPAN (D)	16.0	16.0	16.0	16.0
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Male MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	**180 UG/KG**	**240 UG/KG**
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)	-----	-----
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)	.	.
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	16.0	16.0
(STANDARD ERROR)	(0.0)	(0.0)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 0 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 30 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 60 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 120 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS
INDIVIDUAL SURVIVAL TIMES (DAYS)

DOSE = 180 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			
DOSE = 240 UG/KG			
TOTAL 5	UNCENSORED DEATHS 0	CENSORED DEATHS 0	TERMINAL 5
UNCENSORED DEATH DAYS			
none			
CENSORED DEATH DAYS			
none			

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS

KAPLAN-MEIER SURVIVAL PROBABILITY ESTIMATES (%)

DOSE	TIME (DAYS)									
	2	4	6	8	10	12	14	16(A)	18	16(A)
0 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
30 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
60 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
120 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
180 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
240 UG/KG	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	**0 UG/KG**	**30 UG/KG**	**60 UG/KG**	**120 UG/KG**
SURVIVAL AT END OF STUDY	100.0%	100.0%	100.0%	100.0%
(KAPLAN-MEIER)				
SIGNIFICANCE (B)	-----	-----	-----	-----
(LIFE TABLE)				
MEAN DAY OF NATURAL DEATHS (C)	.	.	.	.
(STANDARD ERROR)	(.)	(.)	(.)	(.)
MEAN LIFE SPAN (D)	16.0	16.0	16.0	16.0
(STANDARD ERROR)	(0.0)	(0.0)	(0.0)	(0.0)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

Female MOUSE
FIRST TERMINAL SACRIFICE AT 16 DAYS

SURVIVAL SUMMARY STATISTICS

DOSE	**180 UG/KG**	**240 UG/KG**
SURVIVAL AT END OF STUDY	100.0%	100.0%
(KAPLAN-MEIER)		
SIGNIFICANCE (B)	-----	-----
(LIFE TABLE)		
MEAN DAY OF NATURAL DEATHS (C)	.	.
(STANDARD ERROR)	(.)	(.)
MEAN LIFE SPAN (D)	16.0	16.0
(STANDARD ERROR)	(0.0)	(0.0)

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)

** END OF REPORT **

(A) FIRST TERMINAL SACRIFICE
(B) THE FIRST ENTRY IS THE TREND TEST (TARONE, 1975) RESULT. SUBSEQUENT ENTRIES ARE THE RESULTS OF PAIRWISE TESTS (COX, 1972). NEGATIVE TRENDS ARE INDICATED BY "N".
(C) MEAN OF ALL UNCENSORED DEATHS PRIOR TO TERMINAL SACRIFICE
(D) MEAN OF ALL DEATHS (UNCENSORED, CENSORED, TERMINAL SACRIFICE)