

Table 1
Male and Female Body Weight (g)

Age	Sex	Exposure Duration	Control	BPA 2.5	BPA 25	BPA 250	BPA 2500	BPA 25000	EE2 0.05	EE2 0.5
PND 21	Male	–	48.87 ± 9.87 (10)	47.24 ± 2.44 (7)	53.96 ± 6.70 (8)	51.78 ± 4.75 (8)	53.41 ± 2.03 (9)	51.28 ± 4.45 (10)	49.95 ± 7.02 (10)	53.07 ± 1.97 (9)
	Female	–	47.75 ± 3.68 (10)	48.55 ± 4.23 (10)	51.00 ± 6.11 (9)	47.91 ± 5.19 (10)	49.84 ± 6.27 (8)	48.38 ± 4.88 (10)	47.66 ± 7.53 (10)	48.56 ± 2.01 (9)
PND 90	Male	Stop ^a	490.1 ± 43.1 (10)	500.5 ± 20.2 (9)	494.0 ± 52.6 (8)	488.3 ± 48.2 (10)	488.4 ± 54.8 (9)	491.1 ± 30.6 (10)	479.4 ± 47.8 (10)	481.3 ± 47.4 (10)
	Female	Continuous	464.1 ± 38.3 (10)	469.3 ± 25.0 (9)	471.6 ± 46.6 (8)	466.1 ± 33.7 (10)	482.8 ± 65.4 (8)	475.9 ± 39.4 (10)	476.4 ± 46.9 (10)	481.2 ± 36.3 (10)
6 Month	Male	Stop	276.2 ± 33.2 (10)	276.5 ± 8.5 (8)	292.2 ± 19.4 (10)	277.9 ± 19.4 (10)	280.5 ± 37.6 (8)	298.7 ± 33.2 (10)	282.2 ± 14.8 (9)	267.2 ± 24.9 (10)
	Female	Continuous	270.1 ± 27.2 (10)	273.0 ± 23.0 (10)	278.1 ± 33.5 (10)	277.2 ± 19.8 (9)	280.5 ± 43.1 (9)	271.5 ± 16.9 (10)	287.1 ± 21.5 (10)	275.5 ± 30.6 (10)
	Male	Stop ^b	643.5 ± 69.5 (10)	633.4 ± 56.4 (10)	607.0 ± 70.7 (10)	626.2 ± 41.9(9)	605.8 ± 54.7 (10)	609.7 ± 50.3 (10)	619.3 ± 67.6 (10)	641.6 ± 38.8 (10)
	Female	Continuous	583.1 ± 40.5 (10)	605.0 ± 50.8 (9)	596.4 ± 78.7 (9)	547.3 ± 67.2 (9)	551.1 ± 46.5 (8)	581.4 ± 55.6 (10)	597.2 ± 46.9 (10)	572.6 ± 41.6 (10)
	Male	Stop	336.8 ± 40.5 (10)	340.3 ± 29.6 (10)	358.2 ± 45.5 (10)	338.2 ± 33.3 (10)	357.7 ± 24.4 (10)	329.9 ± 39.6 (10)	366.3 ± 55.9 (10)	366.8 ± 53.8 (10)
	Female	Continuous	328.9 ± 55.8 (10)	343.9 ± 50.2 (10)	326.3 ± 38.8 (10)	339.1 ± 40.2 (10)	357.5 ± 35.6 (10)	311.8 ± 40.4 (10)	338.8 ± 34.6 (10)	343.7 ± 23.2 (10)

Values represent group mean ± SD; the number of samples analyzed is shown in parenthesis.

^a stop vs. continuous, p = .0225.

^b stop vs continuous: p < .0001.