

Experiment Number: 10188 - 02
Test Type: CHRONIC
Route: DOSED FEED
Species/Strain: RATS/HSD

E08: FEED AND COMPOUND CONSUMPTION TABLE

Di(2-ethylhexyl) Phthalate

CAS Number: 117-81-7

Date Report Requested: 08/13/2019

Time Report Requested: 10:36:50

First Dose M/F: 06/27/11 / 06/28/11

Lab: BAT

NTP Study Number: C10188
Lock Date: 07/15/2015
Cage Range: ALL
Date Range: ALL
Reasons For Removal: ALL
Removal Date Range: ALL
Treatment Groups: Include ALL
Control List: Male: 001 Female: 002
Study Gender: Both
TDMSE Version: 3.0.2.3_002
PWG Approval Date: NONE

Experiment Number: 10188 - 02

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/HSD

E08: FEED AND COMPOUND CONSUMPTION TABLE

Di(2-ethylhexyl) Phthalate

CAS Number: 117-81-7

Date Report Requested: 08/13/2019

Time Report Requested: 10:36:50

First Dose M/F: 06/27/11 / 06/28/11

Lab: BAT

MALE

WEEK	0 ppm Male				300 ppm Male						1000 ppm Male					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	9.7	3471	50.8	50	9.8	3252	50.6	49	1.01	58.2	9.5	3399	49.2	50	0.98	193.2
2	12.9	8380	82.1	50	12.2	8043	80.4	49	0.95	45.5	12.1	8380	78.5	50	0.94	154.1
3	18.5	8375	127.7	50	17.6	8085	121.2	49	0.95	43.6	17.7	8396	119.0	50	0.96	148.8
4	22.1	8525	175.0	50	20.9	8219	168.2	49	0.95	37.3	21.4	8517	165.9	50	0.97	129.0
5	23.8	8264	217.7	50	23.3	8250	214.3	49	0.98	32.6	23.8	8272	212.6	50	1.00	111.9
6	25.2	8547	262.2	50	24.1	8533	257.5	49	0.96	28.1	24.7	8340	255.3	50	0.98	96.7
7	25.6	8226	293.5	50	24.6	8366	290.2	49	0.96	25.4	25.2	8377	285.6	50	0.98	88.2
8	25.3	8233	316.3	50	24.3	8134	314.4	49	0.96	23.2	25.0	8097	310.3	50	0.99	80.6
9	24.8	8212	333.3	50	24.4	8423	334.1	49	0.98	21.9	24.8	8402	330.6	50	1.00	75.0
10	25.0	8397	350.8	50	24.2	8058	350.8	49	0.97	20.7	24.4	8203	347.1	50	0.98	70.3
11	25.4	8244	364.6	50	24.8	8246	364.1	49	0.98	20.4	25.1	8405	357.4	50	0.99	70.2
12	26.0	8243	375.8	50	25.0	8385	374.1	49	0.96	20.0	25.0	8387	368.8	50	0.96	67.8
13	25.0	8405	386.3	50	24.0	8384	382.2	49	0.96	18.8	24.4	8406	379.7	50	0.98	64.3
14	24.4	4829	396.8	50	23.3	4836	390.0	49	0.95	17.9	23.1	4844	386.4	50	0.95	59.8
17	26.1	3474			25.0	3643			0.96		24.6	3604			0.94	
18	25.0	4664	427.2	50	24.2	4743	411.3	49	0.97	17.7	24.0	4730	409.2	50	0.96	58.6
21	25.5	3375			25.1	3376			0.98		25.0	3513			0.98	
22	25.8	4904	451.3	50	25.8	4873	442.0	49	1.00	17.5	25.5	4886	436.5	50	0.99	58.4
25	28.3	3019			27.2	3362			0.96		27.7	3593			0.98	
26	28.1	4608	471.6	50	27.7	4826	463.6	49	0.99	17.9	26.5	4792	454.3	50	0.94	58.3
29	29.3	3413			27.1	3559			0.92		27.2	3557			0.93	
30	29.9	4488	483.6	50	26.0	4878	471.8	49	0.87	16.5	26.6	4883	471.4	50	0.89	56.4
33	32.4	3459			26.8	3501			0.83		25.5	3503			0.79	
34	29.5	4806	498.7	49	29.3	4856	482.9	49	0.99	18.2	27.6	4867	484.3	50	0.94	57.0
37	32.0	2844			31.6	2522			0.99		30.3	3491			0.95	
38	28.8	4727	516.5	49	29.0	4777	506.9	49	1.01	17.2	27.8	4794	498.2	50	0.97	55.8
41	31.6	3521			29.6	3576			0.94		29.7	3506			0.94	
42	28.4	4336	526.0	49	29.5	4627	520.5	49	1.04	17.0	28.3	4819	511.7	50	1.00	55.3
45	30.5	3249			29.7	3555			0.97		29.6	3561			0.97	
46	29.7	4614	533.7	49	28.9	4770	526.8	48	0.97	16.5	29.0	4844	520.1	50	0.98	55.8
49	29.9	2860			29.7	3396			0.99		29.0	3502			0.97	
50	29.0	4156	546.9	47	27.9	4698	530.1	48	0.96	15.8	27.9	4814	537.0	50	0.96	52.0
53	29.6	3223			29.0	3251			0.98		27.4	3430			0.93	
54	27.7	4560	555.4	47	28.6	4709	547.8	47	1.03	15.7	26.6	5022	545.8	50	0.96	48.7
57	29.8	3399			28.7	3475			0.96		28.6	3639			0.96	
58	27.6	3994	555.0	47	29.0	4036	557.3	47	1.05	15.6	28.7	4727	551.4	50	1.04	52.0
61	31.9	2855			30.1	2921			0.94		28.1	3276			0.88	
62	27.2	4161	566.2	47	26.7	4360	563.2	47	0.98	14.2	26.7	4848	564.7	50	0.98	47.3
65	33.1	3305			32.0	3450			0.97		30.2	3593			0.91	
66	30.7	4424	575.5	46	31.0	4451	568.2	47	1.01	16.4	29.3	4824	571.8	50	0.95	51.2
69	30.5	3244			31.1	3419			1.02		29.2	3580			0.96	
70	27.3	4316	580.2	45	29.8	4624	574.5	47	1.09	15.6	25.9	4819	579.0	50	0.95	44.7
73	27.8	2961			28.7	3018			1.03		27.5	3528			0.99	

Experiment Number: 10188 - 02

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/HSD

E08: FEED AND COMPOUND CONSUMPTION TABLE

Di(2-ethylhexyl) Phthalate

CAS Number: 117-81-7

Date Report Requested: 08/13/2019

Time Report Requested: 10:36:50

First Dose M/F: 06/27/11 / 06/28/11

Lab: BAT

MALE

WEEK	0 ppm Male				300 ppm Male				1000 ppm Male							
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
74	30.4	4057	584.9	45	30.8	3490	589.8	46	1.01	15.7	28.8	4633	582.2	50	0.95	49.5
77	26.3	3187			25.8	3331			0.98		26.0	3623			0.99	
78	25.8	4057	580.1	44	26.5	4255	587.6	46	1.03	13.5	26.7	4640	590.1	49	1.03	45.2
81	27.1	2820			26.8	2818			0.99		27.4	3323			1.01	
82	25.5	3816	584.2	41	28.5	4303	588.7	43	1.12	14.5	26.3	4697	598.8	48	1.03	43.9
85	26.5	2599			29.1	3032			1.10		27.2	3496			1.03	
86	23.1	3416	582.8	37	27.9	3857	599.8	41	1.21	14.0	25.2	4598	603.6	48	1.09	41.7
89	27.3	2377			28.0	3025			1.03		27.2	3390			1.00	
90	25.4	3189	593.4	33	25.5	4068	594.2	41	1.00	12.9	24.7	4531	606.5	47	0.97	40.7
93	26.2	2230			26.5	2992			1.01		25.6	3409			0.98	
94	26.9	2801	586.1	32	26.8	3722	589.8	39	1.00	13.6	26.9	4317	614.5	46	1.00	43.8
97	29.7	2189			29.4	2719			0.99		27.5	3209			0.93	
98	26.2	2818	582.5	30	27.1	3270	593.5	36	1.03	13.7	25.9	4134	614.3	44	0.99	42.2
101	26.0	2096			27.3	2588			1.05		23.3	2963			0.90	
102	26.6	2507	577.6	27	27.6	3296	587.4	34	1.04	14.1	25.0	3938	605.8	40	0.94	41.3

Experiment Number: 10188 - 02

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/HSD

E08: FEED AND COMPOUND CONSUMPTION TABLE

Di(2-ethylhexyl) Phthalate

CAS Number: 117-81-7

Date Report Requested: 08/13/2019

Time Report Requested: 10:36:50

First Dose M/F: 06/27/11 / 06/28/11

Lab: BAT

MALE

WEEK	3000 ppm Male						10000 ppm Male					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	8.8	3402	48.9	50	0.91	540.0	2.5	3293	27.5	50	0.26	908.5
2	12.1	8380	76.6	50	0.94	473.7	5.0	7374	36.1	44	0.39	1385.9
3	17.7	8375	117.6	50	0.96	451.6	7.7	7391	54.0	44	0.42	1425.8
4	21.4	8543	164.6	50	0.97	390.0	9.6	7521	76.2	44	0.43	1260.6
5	24.2	8267	212.2	50	1.02	342.1	11.9	7263	102.1	44	0.50	1165.7
6	25.4	8518	257.0	50	1.01	296.5	14.6	7503	131.0	44	0.58	1114.7
7	26.2	8373	287.4	50	1.02	273.5	17.2	7367	158.7	44	0.67	1084.1
8	25.2	7953	310.6	50	1.00	243.4	18.4	7295	186.6	44	0.73	986.1
9	25.0	8423	327.7	50	1.01	228.9	19.7	7407	208.5	44	0.79	944.6
10	25.1	8397	342.9	50	1.00	219.6	20.2	7387	225.7	44	0.81	894.9
11	25.3	8288	352.7	50	1.00	215.2	21.1	7401	240.1	44	0.83	878.8
12	25.7	8385	364.4	50	0.99	211.6	20.8	7381	251.4	44	0.80	827.3
13	25.3	8191	375.0	50	1.01	202.4	21.0	7400	263.3	44	0.84	797.7
14	24.4	4651	381.8	50	1.00	191.7	20.4	4276	271.6	44	0.84	751.0
17	25.2	3331			0.97		22.4	3036			0.86	
18	25.1	4458	398.4	50	1.00	189.0	20.9	3965	289.4	43	0.84	722.2
21	26.4	3512			1.04		22.0	3022			0.86	
22	25.8	4888	420.6	50	1.00	184.0	21.7	4201	316.8	43	0.84	685.1
25	28.9	3439			1.02		23.5	3029			0.83	
26	28.5	4800	440.4	50	1.01	194.1	23.3	4037	333.9	42	0.83	697.8
29	28.9	3414			0.99		23.9	2986			0.82	
30	28.4	4692	454.8	50	0.95	187.3	23.6	4113	346.7	42	0.79	680.7
33	27.1	3481			0.84		22.2	2872			0.69	
34	29.2	4874	458.4	50	0.99	191.1	23.5	3890	354.8	40	0.80	662.3
37	30.7	3070			0.96		25.7	2799			0.80	
38	29.1	4792	475.7	50	1.01	183.5	24.3	3831	365.8	40	0.84	664.2
41	29.9	3396			0.95		23.3	2795			0.74	
42	30.6	4340	489.1	49	1.08	187.7	23.4	3860	376.3	40	0.82	621.8
45	30.8	3203			1.01		24.6	2676			0.81	
46	30.3	4754	497.0	49	1.02	182.9	23.0	3719	379.0	38	0.77	606.9
49	30.0	3294			1.00		23.3	2666			0.78	
50	28.3	4718	504.9	49	0.98	168.1	22.4	3649	387.0	38	0.77	578.9
53	29.3	3369			0.99		26.2	2611			0.89	
54	28.6	4901	510.8	49	1.03	168.0	22.3	3781	391.6	38	0.81	569.5
57	29.9	3407			1.00		22.9	2773			0.77	
58	30.1	4455	522.2	49	1.09	172.9	25.4	3492	395.7	37	0.92	641.9
61	32.7	3344			1.03		27.3	2556			0.86	
62	28.0	4366	529.3	49	1.03	158.7	22.7	3499	403.7	36	0.83	562.3
65	33.4	3475			1.01		27.4	2587			0.83	
66	31.1	4632	534.5	48	1.01	174.6	25.6	3484	408.0	36	0.83	627.5
69	32.2	2987			1.06		26.4	2617			0.87	
70	27.7	4623	535.9	48	1.01	155.1	22.7	3392	409.3	35	0.83	554.6
73	29.8	3106			1.07		25.2	2323			0.91	

Experiment Number: 10188 - 02

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/HSD

E08: FEED AND COMPOUND CONSUMPTION TABLE

Di(2-ethylhexyl) Phthalate

CAS Number: 117-81-7

Date Report Requested: 08/13/2019

Time Report Requested: 10:36:50

First Dose M/F: 06/27/11 / 06/28/11

Lab: BAT

MALE

WEEK	3000 ppm Male						10000 ppm Male					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
74	30.9	4636	543.3	48	1.02	170.6	26.1	3193	414.4	35	0.86	629.9
77	29.2	3323			1.11		22.6	2364			0.86	
78	29.7	4454	548.3	47	1.15	162.5	23.7	3228	417.2	34	0.92	568.1
81	29.4	3106			1.08		24.6	2312			0.91	
82	28.3	4408	551.2	47	1.11	154.0	24.6	3327	418.7	34	0.96	587.5
85	29.3	3280			1.11		26.3	2260			0.99	
86	26.5	4311	554.2	47	1.15	143.5	25.9	3061	419.2	34	1.12	617.9
89	27.8	3315			1.02		25.3	2305			0.93	
90	25.4	4437	553.7	46	1.00	137.6	23.1	3288	421.3	34	0.91	548.3
93	26.8	3055			1.02		22.0	2456			0.84	
94	28.1	3834	568.4	41	1.04	148.3	23.6	3093	421.4	33	0.88	560.1
97	29.5	2781			0.99		28.6	2310			0.96	
98	27.1	3575	573.3	38	1.03	141.8	23.7	2823	416.6	32	0.90	568.8
101	25.8	2744			0.99		26.2	2234			1.01	
102	29.0	3683	563.6	38	1.09	154.4	27.4	3027	402.1	31	1.03	681.4

END OF MALES

Test Type: CHRONIC

Di(2-ethylhexyl) Phthalate

Time Report Requested: 10:36:50

Route: DOSED FEED

CAS Number: 117-81-7

First Dose M/F: 06/27/11 / 06/28/11

Species/Strain: RATS/HSD

Lab: BAT

FEMALE

WEEK	0 ppm Female				300 ppm Female						1000 ppm Female					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	9.1	3607	49.8	50	9.2	3552	51.5	50	1.01	53.6	9.0	3557	49.2	50	0.99	182.9
2	11.7	8397	77.5	50	11.7	8424	78.6	50	1.00	44.7	11.5	8399	75.6	50	0.98	152.1
3	14.9	8405	112.7	50	14.9	8409	111.2	50	1.00	40.2	14.8	8397	107.9	50	0.99	137.2
4	16.3	8390	141.8	50	16.5	8424	141.7	50	1.01	34.9	16.0	8009	138.0	50	0.98	115.9
5	16.5	8404	162.1	50	16.9	8406	164.7	50	1.02	30.8	16.8	8405	159.7	50	1.02	105.2
6	17.1	8517	181.3	50	17.6	8425	187.3	50	1.03	28.2	17.4	8489	180.5	50	1.02	96.4
7	17.1	8077	193.3	50	17.3	8277	200.7	50	1.01	25.9	16.7	8257	193.4	50	0.98	86.3
8	16.3	8280	206.7	50	16.4	8355	211.4	50	1.01	23.3	16.5	8308	205.2	50	1.01	80.4
9	16.1	8401	216.8	50	16.5	8403	223.2	50	1.02	22.2	16.1	8401	215.7	50	1.00	74.7
10	15.9	8398	224.0	50	16.3	8397	232.0	50	1.03	21.1	16.6	8399	223.7	50	1.04	74.2
11	15.9	8390	231.0	50	16.4	8388	238.3	50	1.03	20.6	16.7	8392	230.4	50	1.05	72.5
12	16.0	8421	236.4	50	16.2	8135	242.1	50	1.01	20.1	16.2	8441	233.7	50	1.01	69.3
13	15.8	8003	240.9	50	16.0	8394	246.2	50	1.01	19.5	16.5	8389	241.3	50	1.04	68.4
14	15.7	4809	245.6	50	15.3	4834	249.0	50	0.97	18.4	16.0	4818	245.8	50	1.02	65.1
17	16.4	3586			16.2	3585			0.99		16.9	3586			1.03	
18	16.1	4860	259.1	50	15.3	4878	259.5	50	0.95	17.7	15.6	4902	257.8	50	0.97	60.5
21	15.6	3645			16.0	3539			1.03		16.9	3595			1.08	
22	16.1	4821	268.6	50	15.8	4776	273.3	50	0.98	17.3	15.7	4796	266.2	50	0.98	59.0
25	16.7	3661			16.7	3696			1.00		17.6	3617			1.05	
26	17.5	4801	278.4	50	16.5	4454	280.9	50	0.94	17.6	17.5	4775	274.2	50	1.00	63.8
29	17.0	3825			16.1	3811			0.95		16.4	3844			0.96	
30	18.4	4229	283.3	50	16.6	4261	282.1	50	0.90	17.7	17.9	4583	282.1	50	0.97	63.5
33	18.2	3660			17.7	3652			0.97		17.8	3678			0.98	
34	17.7	4821	290.7	50	17.2	4832	291.7	50	0.97	17.7	17.6	4884	285.8	50	0.99	61.6
37	19.3	3454			18.3	3393			0.95		18.3	3403			0.95	
38	16.7	4782	297.0	50	16.8	4918	300.4	50	1.01	16.8	17.2	4840	290.8	50	1.03	59.2
41	18.1	3608			17.6	3675			0.97		17.6	3553			0.97	
42	16.9	4762	302.4	50	17.1	4774	302.5	50	1.01	17.0	17.4	4670	297.0	49	1.03	58.6
45	20.2	3136			17.0	3292			0.84		17.6	3322			0.87	
46	17.4	4981	301.0	50	16.1	4859	305.4	49	0.93	15.8	17.3	4790	301.2	49	0.99	57.4
49	18.1	3548			17.8	3478			0.98		18.2	3478			1.01	
50	17.2	4784	311.2	50	16.6	4684	311.3	49	0.97	16.0	16.7	4718	305.5	49	0.97	54.7
53	17.9	3553			17.6	3452			0.98		17.0	3399			0.95	
54	16.9	4798	315.4	49	16.6	4903	318.8	49	0.98	15.6	16.5	4615	307.7	48	0.98	53.6
57	18.5	3524			18.9	3581			1.02		18.3	3413			0.99	
58	17.2	3552	321.6	49	17.4	4625	325.7	48	1.01	16.0	17.9	4018	314.4	48	1.04	56.9
61	18.7	3430			18.0	3355			0.96		18.6	3428			0.99	
62	16.6	4645	325.3	48	16.6	4608	329.5	47	1.00	15.1	16.7	4642	321.2	48	1.01	52.0
65	19.0	3223			19.0	3233			1.00		20.1	3271			1.06	
66	18.5	4558	331.9	47	18.5	4563	333.7	47	1.00	16.6	18.5	4566	327.8	48	1.00	56.4
69	19.3	3228			19.9	3092			1.03		19.9	3294			1.03	
70	17.6	4576	339.9	47	17.1	4340	344.3	45	0.97	14.9	15.0	4657	332.9	48	0.85	45.1
73	20.0	3194			19.4	2998			0.97		19.0	3127			0.95	

Experiment Number: 10188 - 02

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/HSD

E08: FEED AND COMPOUND CONSUMPTION TABLE

Di(2-ethylhexyl) Phthalate

CAS Number: 117-81-7

Date Report Requested: 08/13/2019

Time Report Requested: 10:36:50

First Dose M/F: 06/27/11 / 06/28/11

Lab: BAT

FEMALE

WEEK	0 ppm Female				300 ppm Female				1000 ppm Female							
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
74	19.7	4128	348.8	47	18.7	3980	352.7	43	0.95	15.9	20.6	4394	342.1	46	1.05	60.2
77	20.7	3299			18.4	2942			0.89		20.4	3229			0.99	
78	17.3	4440	352.5	46	16.3	3974	344.2	41	0.94	14.2	17.5	4349	346.5	45	1.01	50.5
81	19.9	3165			19.9	2948			1.00		19.1	3092			0.96	
82	17.8	4394	358.0	44	18.2	3680	352.7	41	1.02	15.5	18.2	4326	355.0	43	1.02	51.3
85	18.9	3117			18.5	2901			0.98		18.7	2996			0.99	
86	16.5	4040	361.3	42	17.7	3727	354.6	39	1.07	15.0	18.2	3928	358.3	41	1.10	50.8
89	17.8	2938			19.8	2795			1.11		19.4	2865			1.09	
90	17.1	3968	367.6	41	18.3	3789	362.6	39	1.07	15.1	18.0	3859	367.8	40	1.05	48.9
93	21.4	2884			19.9	2997			0.93		20.6	2981			0.96	
94	19.4	3346	375.9	37	19.6	3573	368.5	39	1.01	16.0	19.1	3374	372.0	37	0.98	51.3
97	21.3	2539			20.4	2522			0.96		22.1	2464			1.04	
98	18.9	3602	376.1	37	18.4	3605	364.1	37	0.97	15.2	18.9	3683	377.8	37	1.00	50.0
101	19.9	2555			18.2	2448			0.91		19.2	2489			0.96	
102	20.3	3454	374.7	35	20.3	3280	357.5	34	1.00	17.0	21.0	3330	374.3	34	1.03	56.1

Experiment Number: 10188 - 02

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/HSD

E08: FEED AND COMPOUND CONSUMPTION TABLE

Di(2-ethylhexyl) Phthalate

CAS Number: 117-81-7

Date Report Requested: 08/13/2019

Time Report Requested: 10:36:50

First Dose M/F: 06/27/11 / 06/28/11

Lab: BAT

FEMALE

WEEK	3000 ppm Female						10000 ppm Female					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
1	8.8	3569	48.7	50	0.97	542.5	2.7	3425	25.1	50	0.30	1076.8
2	11.3	8401	74.3	50	0.97	456.0	4.8	7432	34.8	45	0.41	1379.7
3	15.4	8408	107.4	50	1.03	430.3	7.0	7232	51.8	43	0.47	1350.9
4	17.0	8385	137.8	50	1.04	370.1	8.7	7214	70.9	43	0.53	1227.2
5	17.2	8405	160.7	50	1.04	321.1	10.9	7228	92.0	43	0.66	1184.4
6	17.7	8480	180.7	50	1.04	293.8	12.6	7250	111.9	43	0.74	1125.7
7	17.4	8379	196.1	50	1.02	266.2	13.8	7016	130.0	42	0.81	1061.3
8	16.8	8302	206.5	50	1.03	244.0	14.3	6987	145.6	42	0.88	982.0
9	17.0	8401	216.9	50	1.06	235.1	14.6	7057	159.5	42	0.91	915.5
10	17.0	8129	224.1	50	1.07	227.6	15.2	7055	170.6	42	0.96	890.7
11	17.0	8109	232.2	50	1.07	219.6	15.6	7048	180.4	42	0.98	864.5
12	16.8	8422	235.8	50	1.05	213.7	15.4	7092	187.3	42	0.96	822.1
13	16.8	8391	241.3	50	1.06	208.9	15.5	6906	194.5	42	0.98	796.9
14	16.3	4827	245.4	50	1.04	199.2	15.1	4060	198.5	42	0.96	760.6
17	17.2	3586			1.05		17.5	3012			1.07	
18	16.8	4884	258.6	50	1.04	194.9	16.4	4106	212.7	42	1.02	771.0
21	18.0	3617			1.15		17.3	3042			1.11	
22	17.1	4803	269.0	50	1.06	190.7	16.1	4043	222.1	42	1.00	725.0
25	18.7	3650			1.12		18.8	3058			1.13	
26	18.3	4689	275.9	49	1.05	199.0	17.7	4024	230.5	42	1.01	768.0
29	17.6	3768			1.04		18.3	3239			1.08	
30	18.6	4497	282.1	49	1.01	197.8	17.6	3480	233.2	42	0.96	754.6
33	18.3	3582			1.01		18.9	3077			1.04	
34	18.7	4755	286.5	49	1.06	195.8	18.6	4056	237.5	42	1.05	783.3
37	20.9	3368			1.08		20.6	2882			1.07	
38	17.9	4721	294.0	49	1.07	182.7	17.2	3460	241.3	42	1.03	712.9
41	19.1	3500			1.06		19.0	3010			1.05	
42	18.7	4677	297.7	49	1.11	188.5	18.2	3720	245.0	42	1.08	742.9
45	19.0	3316			0.94		20.7	2233			1.02	
46	17.9	4823	302.1	49	1.03	177.8	17.4	4094	245.7	41	1.00	708.1
49	19.5	3477			1.08		18.8	2484			1.04	
50	17.7	4695	302.2	49	1.03	175.7	18.1	3931	248.6	41	1.05	728.0
53	18.6	3402			1.04		18.6	2695			1.04	
54	16.9	4732	304.4	48	1.00	166.6	17.6	3708	248.0	41	1.04	709.8
57	19.3	3433			1.04		22.2	2940			1.20	
58	18.8	4216	311.1	48	1.09	181.3	18.3	3359	250.4	41	1.06	730.8
61	18.6	3356			0.99		17.9	2499			0.96	
62	16.8	4564	309.5	47	1.01	162.8	16.8	3682	250.9	41	1.01	669.6
65	19.9	3213			1.05		22.1	2805			1.16	
66	18.6	4545	314.8	47	1.01	177.3	18.8	3379	251.7	41	1.02	747.1
69	21.0	3158			1.09		20.5	2198			1.06	
70	18.1	4469	325.4	46	1.03	166.9	17.0	3697	253.6	41	0.97	670.2
73	20.3	3129			1.02		22.5	2716			1.13	

Experiment Number: 10188 - 02

Test Type: CHRONIC

Route: DOSED FEED

Species/Strain: RATS/HSD

E08: FEED AND COMPOUND CONSUMPTION TABLE

Di(2-ethylhexyl) Phthalate

CAS Number: 117-81-7

Date Report Requested: 08/13/2019

Time Report Requested: 10:36:50

First Dose M/F: 06/27/11 / 06/28/11

Lab: BAT

FEMALE

WEEK	3000 ppm Female						10000 ppm Female					
	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY	DAILY FEED(G)	FEED HOURS	BODY WT(G)	NUM WTS	DOSE/ CTRL	DOSE/ DAY
74	20.1	3921	332.0	46	1.02	181.6	18.3	3360	253.7	40	0.93	721.4
77	20.6	3229			1.00		20.0	2152			0.97	
78	17.4	4356	328.2	45	1.01	159.0	17.6	3582	256.8	39	1.02	685.3
81	20.3	2876			1.02		18.7	2445			0.94	
82	19.0	4001	334.3	44	1.07	170.5	17.8	3002	258.6	39	1.00	688.2
85	20.3	2900			1.07		19.0	2103			1.01	
86	18.0	3837	340.3	43	1.09	158.7	19.3	3079	255.9	37	1.17	754.2
89	21.3	3080			1.20		21.3	2221			1.20	
90	18.7	4156	344.4	43	1.09	162.9	19.2	3388	254.1	35	1.12	755.6
93	22.4	3149			1.05		21.9	1997			1.02	
94	19.6	3754	349.1	41	1.01	168.4	18.6	2564	253.8	33	0.96	732.9
97	21.9	2647			1.03		19.0	1435			0.89	
98	19.6	3740	344.6	38	1.04	170.6	18.6	3056	254.8	31	0.98	730.0
101	21.1	2692			1.06		22.3	2111			1.12	
102	23.2	3576	340.5	35	1.14	204.4	22.9	2841	254.5	29	1.13	899.7

END OF REPORT