

Table 3
Male and Female Heart Weight/Body Weight (mg/g).

Age	Sex	Exposure Duration	Control	BPA 2.5	BPA 25	BPA 250	BPA 2500	BPA 25000	EE2 0.05	EE2 0.5
PND 21	Male	–	6.38 ± 0.65 (9)	6.35 ± 0.51 (8)	6.46 ± 0.71 (8)	6.37 ± 0.33 (8)	6.20 ± 0.65 (10)	6.34 ± 0.66 (10)	6.55 ± 0.68 (10)	6.67 ± 0.66 (10)
	Female	–	6.16 ± 0.27 (9)	6.19 ± 0.40 (10)	6.35 ± 0.73 (10)	6.04 ± 0.57 (10)	6.44 ± 0.54 (8)	6.45 ± 0.66 (10)	6.43 ± 0.69 (9)	6.23 ± 0.041 (10)
PND 90	Male	Stop	3.30 ± 0.19 (10)	3.19 ± 0.37 (10)	3.31 ± 0.27 (8)	3.17 ± 0.15 (10)	3.33 ± 0.38 (9)	3.20 ± 0.27 (10)	3.29 ± 0.19 (10)	3.43 ± 0.34 (10)g(10)
	Female	Continuous	3.27 ± 0.23 (10)	3.32 ± 0.19 (9)	3.18 ± 0.26 (8)	3.40 ± 0.33 (10)	3.30 ± 0.30 (8)	3.34 ± 0.23 (10)	3.22 ± 0.27 (10)	3.34 ± 0.21 (10)
6 Month	Female	Stop	3.69 ± 0.29 (10)	3.72 ± 0.37 (8)	3.55 ± 0.17 (10)	3.78 ± 0.36 (10)	3.96 ± 0.22 (8)	3.48 ± 0.13 (10)	3.92 ± 0.34 (10)	4.09 ± 0.29 (10) ^a
	Female	Continuous	3.67 ± 0.37 (10)	3.68 ± 0.18 (10)	3.54 ± 0.32 (10)	3.46 ± 0.38 (10)	3.76 ± 0.57 (9)	3.76 ± 0.21 (10)	3.77 ± 0.24 (10)	4.07 ± 0.29 (10) ^b
	Male	Stop	2.75 ± 0.19 (10)	2.69 ± 0.19 (10)	2.90 ± 0.21 (9)	2.79 ± 0.24 (10)	2.84 ± 0.18 (10)	2.77 ± 0.18 (10)	2.80 ± 0.21 (10)	2.73 ± 0.25 (10)
	Male	Continuous	2.87 ± 0.20 (10)	2.99 ± 0.27 (9)	2.97 ± 0.25 (9)	2.85 ± 0.44 (10)	2.99 ± 0.11 (8)	2.85 ± 0.26 (10)	2.87 ± 0.11 (10)	2.89 ± 0.23 (9)
	Female	Stop	3.28 ± 0.33 (10)	2.99 ± 0.21 (10) ^c	3.18 ± 0.31 (10)	3.16 ± 0.22 (10)	3.10 ± 0.12 (10)	3.30 ± 0.30 (10)	3.20 ± 0.31 (9)	3.52 ± 0.39 (10)
	Female	Continuous	3.09 ± 0.26 (10)	3.06 ± 0.26 (10)	3.45 ± 0.54 (10) ^e	3.24 ± 0.28 (10)	3.10 ± 0.19 (10)	3.24 ± 0.19 (10)	3.22 ± 0.23 (10)	3.50 ± 0.19 (10) ^d

Values represent group mean ± SD; the number of samples analyzed is shown in parenthesis.

^a p = .013, d = 1.48.

^b p = .012, d = 1.27.

^c p = .06, d = 1.11.

^d p = .0009, d = 1.88.

^e 0.053, d = 0.88